

L Number	Hits	Search Text	DB	Time stamp
1	432	((((data near4 compression\$2) same database) and memory) and range	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
2	143	(wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
3	0	(((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
4	143	(wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
5	646	(((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2))) and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
6	0	(((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2))) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
7	3679271	wild NEAR3 card\$1 NEAR\$4 rang\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
8	0	(((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2))) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)))) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
9	0	(((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2))) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)))) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2))) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)))) and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
10	0	((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2))) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)))) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2))) and (((((data near4 compression\$2) same database) and memory) and range) and ((wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)))) and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:04

-	120	((data-base) or (data adj base) or (database)) same wildcard\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:51
-	212	707/.ccls. and wildcard\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 11:28
-	610	707/6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 13:47
-	19582	data adj compression\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 13:34
-	265	(data adj compression\$2) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 13:35
-	210	((data adj compression\$2) same database) and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 13:35
-	5	((((data adj compression\$2) same database) and memory) and range) and wild\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 13:38
-	132	((((data adj compression\$2) same database) and memory) and range	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:02
-	813	707/101.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 14:33
-	114	(wildcard\$2 OR wild-card\$4) AND (ip! ADJ2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:51
-	25	(wildcard\$2 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
-	364	370/397.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 15:09
-	90	370/397.ccls. and IP!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 15:17

-	35	370/399.ccls. and IP!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 15:19
-	517	370/401.ccls. and IP!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 15:19
-	59	370/409.ccls. and IP!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/26 15:19
-	829	wildcard\$2 OR wild-card\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/27 09:33
-	718	(wildcard\$2 OR wild-card\$4) AND number\$2 AND data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:51
-	92	(wildcard\$2 OR wild-card\$4) SAME number\$2 SAME data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/27 11:15
-	44	determin\$4 near5 (wildcard\$2 or wild-card\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/27 12:41
-	2	("6138123").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/27 12:44
-	69	represent\$4 near3 (wildcard\$2 or wild-card\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/27 12:47
-	65	(represent\$4 near3 (wildcard\$2 or wild-card\$4)) and determin\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	14	(represent\$4 near3 (wildcard\$2 or wild-card\$4)) same determin\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	2	("6151631").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/28 12:46
-	2	("6026398").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/28 12:49

-	2	("6263341").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/28 12:49
-	3	telephone near5 wildcards	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/02/28 12:51
-	3034154	wild NEAR4 card\$1 NEAR\$4 rang\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/09 14:03
-	27355	(wild NEAR4 card\$1 NEAR\$4 rang\$4) and (sub\$5 NEAR4 number\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:51
-	1051	(wildcard\$2 OR wild-card\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/06 14:16
-	5	((wildcard\$2 OR wild-card\$4)) near5 rang\$4 near5 number\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/06 14:20
-	8	((wildcard\$2 OR wild-card\$4)) near10 rang\$4 near10 number\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/06 14:21
-	2913	(wildcard\$1 wild-card\$1 (wild near2 card\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/01 09:07
-	29	((wildcard\$1 wild-card\$1 (wild near2 card\$1))) and (four near3 rang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	226	((database) or (data adj base) or (database)) same wildcard\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:51
-	321	(wildcard\$2 or wild-card\$4) AND (ip! ADJ2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:51
-	90	(wildcard\$2 wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:53
-	3319197	wild NEAR4 card\$1 NEAR\$4 rang\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:53

-	30	((wildcard\$1 (wild near2 card\$1))) and (four near3 rang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:53
-	25655	(wild NEAR4 card\$1 NEAR\$4 rang\$3) and (sub\$5 NEAR4 number\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:55
-	30	((wildcard\$1 (wild near2 card\$1))) and (four near3 rang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/07 10:55
-	18	(represent\$3 near3 (wildcard\$2 or wild-card\$4)) same determin\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	265	((data-base) (data adj base) or (database)) same wildcard\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:51
-	114	(wildcard\$3 OR wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	138	(represent\$3 near3 (wildcard\$2 or wild-card\$4)) and determin\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	114	(wildcard\$3 wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	36	((wildcard\$3 wild-card\$1 (wild near2 card\$1))) and (four near3 rang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	36	((wildcard\$3 wild-card\$1 (wild near2 card\$1))) and (four near3 rang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	19	(represent\$4 near3 (wildcard\$2 or wild-card\$4)) same determin\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	114	(wildcard\$4 wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	19	(represent\$3 near3 (wildcard\$2 or wild-card\$4)) same determin\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52

-	114	(wildcard\$3 wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:52
-	1817	(wildcard\$4 OR wild-card\$4) AND number\$2 AND data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:53
-	114	(wildcard\$3 wild-card\$4) AND (sort\$5 OR range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:53